Yasutaro SETO, et al.

10/576,264

**IN THE CLAIMS**:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 has been amended as follows:

**Listing of Claims:** 

Claim 1 (currently amended): A deodorizing filter comprising a first deodorizing filter

regulated so as to have a high-pH environment and a second deodorizing filter regulated so as to

have a low-pH environment,

wherein the first deodorizing filter and/or the second deodorizing filter are filters of a cobalt

phthalocyanine complex and an iron phthalocyanine complex supported on an active-carbon-filled

paper.

Claim 2 (canceled)

Claim 3 (canceled)

Claim 4 (previously presented): The deodorizing filter as recited in claim 1, wherein the

weight ratio of the complexes supported, cobalt phthalocyanine complex/iron phthalocyanine

complex, is 98/2 to 55/45.

2

Yasutaro SETO, et al. 10/576,264

Claim 5 (previously presented): The deodorizing filter as recited in claim 1, wherein the

weight ratio of the complexes supported, cobalt phthalocyanine complex/iron phthalocyanine

complex, is 95/5 to 85/15.

Claim 6 (previously presented): The deodorizing filter as recited in claim 1, wherein the pH

of the high-pH environment is 7.5 to 12.0 and the pH of the low-pH environment is 1.5 to 5.0.

Claim 7 (previously presented): The deodorizing filter as recited in claim 1, wherein the

amount of the complexes supported is in the range of 200 to 20,000 µg with respect to 1 g of the

active-carbon-filled paper.

Claim 8 (previously presented): The deodorizing filter as recited in claim 1, wherein the

active-carbon-filled paper contains active-carbon at a content of 40 to 80 mass %.

Claim 9 (canceled)

Claim 10 (canceled)

Claim 11 (canceled)

3

Claim 12 (previously presented): A deodorizing filter comprising a first deodorizing filter regulated so as to have a high-pH environment and a second deodorizing filter regulated so as to have a low-pH environment,

wherein the first deodorizing filter is a filter of a cobalt phthalocyanine complex and an iron phthalocyanine complex supported on an active-carbon-filled paper.

Claim 13 (previously presented): The deodorizing filter as recited in claim 12, wherein the weight ratio of the complexes supported, cobalt phthalocyanine complex/iron phthalocyanine complex, is 98/2 to 55/45.

Claim 14 (previously presented): The deodorizing filter as recited in claim 12, wherein the weight ratio of the complexes supported, cobalt phthalocyanine complex/iron phthalocyanine complex, is 95/5 to 85/15.

Claim 15 (previously presented): The deodorizing filter as recited in claim 12, wherein the pH of the high-pH environment is 7.5 to 12.0 and the pH of the low pH environment is 1.5 to 5.0.

Claim 16 (previously presented): The deodorizing filter as recited in claim 12, wherein the amount of the complexes supported is in the range of 200 to 20,000 µg with respect to 1 g of the active-carbon-filled paper.

Claim 17 (previously presented): The deodorizing filter as recited in claim 12, wherein the active-carbon-filled paper contains active-carbon at a content of 40 to 80 mass %.

Claim 18 (previously presented): A deodorizing filter comprising a first deodorizing filter regulated so as to have a high-pH environment and a second deodorizing filter regulated so as to have a low-pH environment,

wherein the first deodorizing filter and the second deodorizing filter are filters of a cobalt phthalocyanine complex and an iron phthalocyanine complex supported on an active-carbon-filled paper.

Claim 19 (previously presented): The deodorizing filter as recited in claim 18, wherein the weight ratio of the complexes supported, cobalt phthalocyanine complex/iron phthalocyanine complex, is 98/2 to 55/45.

Claim 20 (previously presented): The deodorizing filter as recited in claim 18, wherein the weight ratio of the complexes supported, cobalt phthalocyanine complex/iron phthalocyanine complex, is 95/5 to 85/15.

Claim 21 (previously presented): The deodorizing filter as recited in claim 18, wherein the pH of the high-pH environment is 7.5 to 12.0 and the pH of the low pH environment is 1.5 to 5.0.

Yasutaro SETO, et al. 10/576,264

Claim 22 (previously presented): The deodorizing filter as recited in claim 18, wherein the amount of the complexes supported is in the range of 200 to 20,000  $\mu$ g with respect to 1 g of the active-carbon-filled paper.

Claim 23 (previously presented): The deodorizing filter as recited in claim 18, wherein the active-carbon-filled paper contains active-carbon at a content of 40 to 80 mass %.